



ONLEVEL

*LAZOR***TRACK**  
LED ILLUMINATED HANDRAIL



# LIGHT UP YOUR INSPIRATION. LEVEL UP YOUR LIFE.

When it comes to innovations, we often see the light and feel passionately about our products. At **ONLEVEL**, we have therefore designed a LED Level in a class of its own – our product designers have developed an integrated LED illumination for handrails, railings and balustrades which meets the highest quality requirements.

In the following, we will cast some light on the characteristics and benefits of LED illumination: LEDs are...

- | more energy-efficient
- | low-maintenance
- | reliable and durable
- | highly switching resistant
- | versatile in application
- | free from UV or IR radiation
- | adjustable with respect to the light cone, effects, colours and intensity

## **The greatest safety and quality coupled with the most beautiful views.**

In our test laboratories, we illuminate our various materials and examine them with the help of analyses and stress tests, so that we can give our customers the guarantee of the greatest safety, quality and reliability. Our products are officially tested for the desired application and meet certified and independent quality, safety and performance standards.

# LAZOR*TRACK*

LED handrail

## **LEDs get ready to rumble.**

Inspired by the permanent onward development of LED illumination, many new light installation possibilities and applications keep appearing in architecture. Whether discreet, soft or lightfast – LEDs not only stand out due to their amazing unobtrusiveness but also consume less energy, generate less heat and in this way contribute to a sustainable energy footprint.



---

## **Essential Features**

- | Modern design
- | Available for wall and glass mounting
- | Aluminium and wood
- | Available in RAL
- | Protection class: IP66
- | LED strip: Can be cut to size (every 55 mm)
- | Voltage: 24 V
- | LEDs per metre: 144
- | Beam angle: 80°
- | Dimmable: yes
- | Colour temperature: 4000 K
- | Light colour: Neutral white
- | Rated output per metre: 6 W
- | Light output: 337lm/m
- | Input power: 220-240V AC 50/60Hz
- | 2 handrail holders at 2.5 meters
- | 4 handrail holders at 5.0 meters

1 integrated  
transformer every 10 metres

One continuous light strip, no  
irritating light spots


The LED strip can  
simply be cut to size.

# LAZORTRACK SET | GLASS HANDRAIL

## Lazortrack glass handrail, aluminium complete set



- | Width: 42 mm
- | Height: 48 mm
- | Incl. end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Suitable for interior and exterior use
- | Sales unit: 1 piece



### Lazortrack length 2.5 m

	Mill finish	Plain aluminium	RAL
Glass thickness	Art. no.	Art. no.	Art. no.
8 - 11 mm	18.2002.421.10	18.2002.421.11	18.2002.421.13/16/18/19
12 - 13.5 mm	18.2002.422.10	18.2002.422.11	18.2002.422.13/16/18/19
16 - 17.5 mm	18.2002.423.10	18.2002.423.11	18.2002.423.13/16/18/19
20 - 21.5 mm	18.2002.424.10	18.2002.424.11	18.2002.424.13/16/18/19

### Lazortrack length 5 m

	Mill finish	Plain aluminium	RAL
Glass thickness	Art. no.	Art. no.	Art. no.
8 - 11 mm	18.2005.421.10	18.2005.421.11	18.2005.421.13/16/18/19
12 - 13.5 mm	18.2005.422.10	18.2005.422.11	18.2005.422.13/16/18/19
16 - 17.5 mm	18.2005.423.10	18.2005.423.11	18.2005.423.13/16/18/19
20 - 21.5 mm	18.2005.424.10	18.2005.424.11	18.2005.424.13/16/18/19

### Lazortrack length 10 m (2 x 5 m)


	Mill finish	Plain aluminium	RAL
Glass thickness	Art. no.	Art. no.	Art. no.
8 - 11 mm	18.2010.421.10	18.2010.421.11	18.2010.421.13/16/18/19
12 - 13.5 mm	18.2010.422.10	18.2010.422.11	18.2010.422.13/16/18/19
16 - 17.5 mm	18.2010.423.10	18.2010.423.11	18.2010.423.13/16/18/19
20 - 21.5 mm	18.2010.424.10	18.2010.424.11	18.2010.424.13/16/18/19

# LAZORTRACK SET | GLASS HANDRAIL

## Lazortrack glass handrail, oak complete set



- | Width: 56 mm
- | Height: 60 mm
- | Incl. end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Sales unit: 1 piece



### Lazortrack length 2.5 m

	Oak
Glass thickness	Art. no.
8 - 11 mm	18.2002.561.72
12-13.5 mm	18.2002.562.72
16 - 17.5 mm	18.2002.563.72
20-21.5 mm	18.2002.564.72

### Lazortrack length 5 m (2 x 2,5 m)

	Oak
Glass thickness	Art. no.
8 - 11 mm	18.2005.561.72
12-13.5 mm	18.2005.562.72
16 - 17.5 mm	18.2005.563.72
20-21.5 mm	18.2005.564.72

### Lazortrack length 10 m (4 x 2,5 m)


	Oak
Glass thickness	Art. no.
8 - 11 mm	18.2010.561.72
12-13.5 mm	18.2010.562.72
16 - 17.5 mm	18.2010.563.72
20-21.5 mm	18.2010.564.72

# LAZORTRACK | GLASS HANDRAIL, ALUMINIUM

## Lazortrack handrail



- | Width: 42 mm
- | Height: 48 mm
- | Sales unit: 1 piece




	Mill finish	Plain aluminium	RAL
length	Art. no.	Art. no.	Art. no.
2500	18.2102.420.10	18.2102.420.11	18.2102.420.13/16/18/19
5000	18.2105.420.10	18.2105.420.11	18.2105.420.13/16/18/19

## Lazortrack handrail, inside corner, 90°



- | LED strip inside
- | Side length outside 380 mm
- | 48 x 42 mm
- | Sales unit: 1 piece




Model 2210	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2210.420.10	18.2210.420.11	18.2210.420.13/16/18/19

## Lazortrack handrail, outside corner, 90°



- | LED strip outside
- | Side length outside 380 mm
- | 48 x 42 mm
- | Sales unit: 1 piece



Model 2214	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2214.420.10	18.2214.420.11	18.2214.420.13/16/18/19

## Lazortrack end cap, left



- | 48 x 42 mm
- | Sales unit: 1 piece



Model 2300	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2300.420.10	18.2300.420.11	18.2300.420.13/16/18/19




# LAZORTRACK | GLASS HANDRAIL, ALUMINIUM

## Lazortrack end cap, right



| 48 x 42 mm  
| Sales unit: 1 piece




Model 2305	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2305.420.10	18.2305.420.11	18.2305.420.13/16/18/19

## Lazortrack wall connector



| 48 x 42 mm  
| Sales unit: 2 pieces




Model 2220	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2220.420.10	18.2220.420.11	18.2220.420.13/16/18/19

## Handrail U profile, 30 mm, can be use as a cable protector and hide wires



| Length: 4000 mm  
| 30 x 28 x 2 mm  
| U 26 mm  
| For glass thicknesses up to 21.5 mm  
| Sales unit: 1 piece




Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2115.302.10	11.2115.302.11	11.2115.302.13/16/18/19

## U handrail rubber seals, 26 mm



| U handrail rubber seals for 26 mm




Model 6530					
Length	Glass thickness	Art. no.	Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6530.008.60	4000	16 - 17,5 mm	90.6530.016.60
25000	8 - 11 mm	90.6530.208.60	25000	16 - 17,5 mm	90.6530.216.60
4000	11,5 - 13,5 mm	90.6530.011.60	4000	19 mm	90.6530.019.60
25000	11,5 - 13,5 mm	90.6530.211.60	25000	19 mm	90.6530.219.60
4000	15 mm	90.6530.015.60	4000	20 - 21,5 mm	90.6530.020.60
25000	15 mm	90.6530.215.60	25000	20 - 21,5 mm	90.6530.220.60

# LAZORTRACK | GLASS HANDRAIL, WOOD

## Lazortrack handrail



- | Width: 56 mm
- | Height: 60 mm
- | Sales unit: 1 piece




Model 2102	Oak
length	Art. no.
2500	18.2102.560.72

## Lazortrack handrail, inside corner, 90°



- | LED strip inside
- | Side length outside 380 mm
- | 56 x 60 mm
- | Sales unit: 1 piece




Model 2210	Oak
	Art. no.
	18.2210.560.72

## Lazortrack handrail, outside corner, 90°



- | LED strip outside
- | Side length outside 380 mm
- | 56 x 60 mm
- | Sales unit: 1 piece




Model 2214	Oak
	Art. no.
	18.2214.560.72

## Lazortrack end cap, left/right



- | For Handrail 56 x 60 mm
- | Use our wood adhesive 90.7018.000.00
- | Sales unit: 1 piece




Model 2300	Oak
	Art. no.
	18.2300.560.72

# LAZORTRACK | GLASS HANDRAIL, ACCESSORIES

## Lazortrack wall connector



| For Handrail 56 x 60 mm  
| Sales unit: 2 pieces




Model 2220	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2220.560.10	18.2220.560.11	18.2220.560.13/16/18/19

## Lazortrack Connector Glass Handrail



| Sales unit: 1 piece



Model 4200	
	Art. no.
	18.2200.420.15

## U handrail rubber seals, 27 mm



| U handrail rubber seals for 27 mm

Model 6548		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6548.008.60
25 mtr	8 - 11 mm	90.6548.208.60
6 mtr	11.5 - 13.5 mm	90.6548.011.60
25 mtr	11.5 - 13.5 mm	90.6548.211.60
6 mtr	15 mm	90.6548.015.60
25 mtr	15 mm	90.6548.215.60
6 mtr	16 - 17.5 mm	90.6548.016.60
25 mtr	16 - 17.5 mm	90.6548.216.60
6 mtr	19 mm	90.6548.019.60
25 mtr	19 mm	90.6548.219.60
6 mtr	20 - 21.5 mm	90.6548.020.60
25 mtr	20 - 21.5 mm	90.6548.220.60

# LAZORTRACK SET | WALL HANDRAIL

## Lazortrack wall handrail, aluminium complete set



- | Width: 42 mm
- | Height: 34 mm
- | Incl. handrail support, end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Suitable for interior and exterior use
- | Set of 2.5 m or 5 m aluminum handrail
- | Sales unit: 1 piece

	Mill finish	Plain aluminium	RAL
length	Art. no.	Art. no.	Art. no.
2500	18.4002.420.10	18.4002.420.11	18.4002.420.13/16/18/19
5000	18.4005.420.10	18.4005.420.11	18.4005.420.13/16/18/19
10000	18.4010.420.10	18.4010.420.11	18.4010.420.13/16/18/19

## Lazortrack wall handrail, oak complete set



- | Width: 56 mm
- | Height: 43 mm
- | Incl. handrail support, end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Coating food safe
- | Set of 2.5 m wooden handrail each
- | Sales unit: 1 piece

	Oak
length	Art. no.
2500	18.4002.560.72
5000	18.4005.560.72
10000	18.4010.560.72




# LAZORTRACK | WALL HANDRAIL, ALUMINIUM

## Lazortrack handrail



| Width: 42 mm  
| Height: 34 mm  
| Sales unit: 1 piece




	Mill finish	Plain aluminium	RAL
length	Art. no.	Art. no.	Art. no.
2500	18.4102.420.10	18.4102.420.11	18.4102.420.13/16/18/19
5000	18.4105.420.10	18.4105.420.11	18.4105.420.13/16/18/19

## Lazortrack handrail, inside corner, 90°



| LED strip inside  
| Side length outside 380 mm  
| 42 x 34 mm  
| Sales unit: 1 piece




Model 4210	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.4210.420.10	18.4210.420.11	18.4210.420.13/16/18/19

## Lazortrack handrail, outside corner, 90°



| LED strip outside  
| Side length outside 380 mm  
| 42 x 34 mm  
| Sales unit: 1 piece




Model 4214	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.4214.420.10	18.4214.420.11	18.4214.420.13/16/18/19

## Lazortrack end cap, left/right



| 42 x 34 mm  
| Sales unit: 1 piece




Model 4300	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.4300.420.10	18.4300.420.11	18.4300.420.13/16/18/19

# LAZORTRACK | WALL HANDRAIL, WOOD

## Lazortrack handrail



- | Width: 56 mm
- | Height: 43 mm
- | Sales unit: 1 piece




Model 4102	Oak
length	Art. no.
2500	18.4102.560.72

## Lazortrack handrail, inside corner, 90°



- | LED strip inside
- | Side length outside 380 mm
- | 56 x 43mm
- | Sales unit: 1 piece




Model 4210	Oak
	Art. no.
	18.4210.560.72

## Lazortrack handrail, outside corner, 90°



- | LED strip outside
- | Side length outside 380 mm
- | 56 x 43mm
- | Sales unit: 1 piece




Model 4214	Oak
	Art. no.
	18.4214.560.72

## Lazortrack end cap, left/right



- | For Handrail 50 x 38 mm
- | Use our wood adhesive 90.7018.000.00
- | Sales unit: 1 piece




Model 4300	Oak
	Art. no.
	18.4300.560.72

# LAZORTRACK | WALL HANDRAIL, ACCESSORIES

## Lazortrack wall connector for wall handrail

| Sales unit: 2 pieces



Model 2220	Mill finish	Plain aluminium	RAL
Width x Height	Art. no.	Art. no.	Art. no.
42 x 34	18.4220.420.10	18.4220.420.11	18.4220.420.13/16/18/19
56 x 43	18.4220.560.10	18.4220.560.11	18.4220.560.13/16/18/19

## Wall handrail support

A cable with a maximum diameter of 8 mm fits through the handrail support.


- | 2 handrail holders at 2.5 meters
- | 4 handrail holders at 5.0 meters
- | Sales unit: 2 pieces



Model 4400	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.4400.000.21	18.4400.000.31

## Lazortrack Connector Wall Handrail

| Sales unit: 1 piece



Model 4200	
	Art. no.
	18.4200.420.15

# LAZORTRACK | LED ACCESSORIES

## Lazortrack Transformer

| 24 V  
| Sales unit: 1 piece



Model 3000		
Watts	up to a length of	Art. no.
100 W	10 m	18.3000.100.00

## Lazortrack LED strip

| 24 V  
| 6 W/m  
| Sales unit: 1 piece



Model 3106	single-color 4000K	RGB
length	Art. no.	Art. no.
2.5 m	18.3106.002.00	18.3206.002.00
5 m	18.3106.005.00	18.3206.005.00
10 m	18.3106.010.00	18.3206.010.00

## Lazortrack Controller

| Single-color controller: Change the brightness  
| RGB controller: Change the brightness and color  
| Indoor use only  
| Sale unit: 1 piece



Model 3005	single-color 4000K	RGB
	Art. no.	Art. no.
	18.3005.010.00	18.3005.000.00

## Lazortrack Remote Control

| Batteries included  
| One remote control can manage up to 10 controllers  
| Indoor use only  
| Sale unit: 1 piece



Model 3005	single-color 4000K	RGB
	Art. no.	Art. no.
	18.3004.010.00	18.3004.000.00



# LAZORTRACK | LED ACCESSORIES

## Lazortrack cable



| 230 V  
| Sales unit: 1 piece

Model 9001	
length	Art. no.
10 m	18.9001.010.00
20 m	18.9001.020.00


## Lazortrack Y cable



Do you need LED illumination on more than 10 m?  
No problem at all! With this Y cable, you can extend your Lazortrack by up to 50 m. Simply connect the next mains adaptor together with the LED to the power supply and your illumination is there.

| Sales unit: 1 piece


Model 9003	
	Art. no.
	18.9003.010.00



A gap of 50mm is needed to avoid LED and Handrail damage due to elongation and contraction from heat related matters.

# LAZORTRACK | STANDARD HANDRAIL SETS WITH LED


## Lazortrack in Handrail Set Ø42.4 mm



- | Wall connection
- | Set includes: Handrail, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Sales unit: 1 piece

	AISI 304 (inside)	AISI 316 (outside)
length	Art. no.	Art. no.
5 mtr	18.2005.421.21	18.2005.421.31
10 mtr	18.2010.421.21	18.2010.421.31

## Lazortrack in Handrail Set 40 x 30 mm



- | Wall connection
- | Set includes: Handrail, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Sales unit: 1 piece

	AISI 304 (inside)	AISI 316 (outside)
length	Art. no.	Art. no.
5 mtr	18.2005.401.21	18.2005.401.31
10 mtr	18.2010.401.21	18.2010.4201.31

# LAZORTRACK | STANDARD HANDRAIL SETS WITH LED

## Lazortrack in Handrail Set Oak Ø42.4 mm



- | Wall connection
- | Set includes: Handrail oak, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Use only in the interior
- | Sales unit: 1 piece

	Oak with AISI 304	Oak with AISI 316
length	Art. no.	Art. no.
5 mtr	18.2005.420.72	18.2005.421.72
10 mtr	18.2010.420.72	18.2010.421.72

## Lazortrack in Handrail Set Oak 60 x 40 mm



- | Wall connection
- | Set includes: Handrail oak, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Use only in the interior
- | Sales unit: 1 piece

	Oak with AISI 304	Oak with AISI 316
length	Art. no.	Art. no.
5 mtr	18.2005.600.72	18.2105.600.72
10 mtr	18.2010.600.72	18.2110.600.72


# LAZORTRACK | STANDARD HANDRAILS WITH LED

## Lazortrack standard handrail



| 40 x 30 x 1 mm  
| Length: 5000 mm  
| Sales unit: 1 piece

| find the corresponding LED on page 16




Model 2105	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2105.401.21	18.2105.401.31

## Lazortrack standard handrail round Ø 42,4 mm



| Length 5000 mm  
| Diameter Ø 42,4 x 1,5 mm  
| Sales unit: 1 piece

| find the corresponding LED on page 16




Model 2105	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2105.421.21	18.2105.421.31

## Lazortrack standard wooden handrail round Ø 42 mm



| Length 2500 mm  
| Sales unit: 1 piece

| find the corresponding LED on page 16




Model 2102	
	Art. no.
	18.2102.420.72

## Lazortrack standard wooden handrail



| Length 2500 mm  
| 60 x 40 mm  
| Sales unit: 1 piece

| find the corresponding LED on page 16



Model 2122	
	Art. no.
	18.2122.600.72


# LAZORTRACK | STANDARD HANDRAILS WITH LED

## Lazortrack inside corner Ø 42,4 mm

| Diameter Ø 42,4 mm  
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2210.421.21	18.2210.421.31




## Lazortrack outside corner Ø 42,4 mm

| Diameter Ø 42,4 mm  
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2210.422.21	18.2210.422.31




## Lazortrack connector adjustable down

| Diameter Ø 42,4 mm  
| Sales unit: 1 piece



Model 2216	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2216.421.21	18.2216.421.31




## Lazortrack connector adjustable up

| Diameter Ø 42,4 mm  
| Sales unit: 1 piece



Model 2215	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2215.421.21	18.2215.421.31




# LAZORTRACK | STANDARD HANDRAILS WITH LED

## Lazortrack inside corner

| Dimensions: 40x30 mm  
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2210.401.21	18.2210.401.31




## Lazortack outside corner

| Dimensions: 40x30 mm  
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2210.402.21	18.2210.402.31




## Lazortrack corner connector vertical 180 - 135°

| Sales unit: 1 piece



Model 2213	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2213.401.21	18.2213.401.31




## Lazortrack inside corner wood

| Dimensions: 60x40 mm  
| Oak laquered  
| Sales unit: 1 piece



| find the corresponding LED on page 16

Model 2210	
	Art. no.
	18.2210.600.72



# LAZORTRACK | STANDARD HANDRAILS WITH LED

## Lazortrack outside corner wood




- | Dimensions: 60x40 mm
- | Oak laquered
- | Sales unit: 1 piece

| find the corresponding LED on page 16

**Model 2210**

Art. no.

18.2210.601.72



## Lazortrack 90° inside corner Ø42 mm wood




- | Oak laquered
- | Sales unit: 1 piece

| find the corresponding LED on page 16

**Model 2210**

Art. no.

18.2210.421.72



## Lazortrack 90° outside corner Ø42 mm wood




- | Oak laquered
- | Sales unit: 1 piece

| find the corresponding LED on page 16

**Model 2210**

Art. no.

18.2210.422.72



# LAZORTRACK | LED ACCESSORIES FOR STANDARD HANDRAILS

## Lazortrack Drilling Tool for wooden handrails

| Sales unit: 1 piece



Model 0100	
Art. no.	
	90.0100.210.00

## Lazortrack Drilling tool kit

| Sales unit: 1 piece



Model 0100	
Art. no.	
	90.0100.220.00

## Wall handrail support

A cable with a maximum diameter of 8 mm fits through the handrail support.

- | 2 handrail holders at 2.5 meters
- | 4 handrail holders at 5.0 meters
- | Sales unit: 2 pieces



Model 4400	AISI 304 (inside)	AISI 316 (outside)
Art. no.		Art. no.
	18.4400.000.21	18.4400.000.31



## Lazortrack cable

- | 24 V
- | Sales unit: 1 piece



Model 9001	
length	Art. no.
6 m	18.9017.006.00
11 m	18.9017.011.00






# LED THE LIGHT SHINE ON YOU.

Discover the Lazortrack lighting system - now also for our Translevel profiles! This innovative duo brings a breath of fresh air to the world of all-glass railings by illuminating them in a fascinating light.

Lazortrack combines chic design with high-tech to create a unique atmosphere. The Translevel profiles provide the ideal basis for this fusion of functionality and style, and together they create a harmonious combination.

**Advantages:** Lazortrack uses light precisely to illuminate your all-glass railings evenly and attractively. This not only looks impressive, but also contributes to safety by effectively illuminating the surrounding area.

**Installation:** A piece of cake! Lazortrack adapts flexibly to different design requirements and offers an energy-efficient solution that is not only good for the environment, but also for your wallet.



# LAZORTRACK | LED ACCESSORIES FOR TRANSLEVEL

Our latest additions are the perfect answer to optimizing existing 1.0kN Flex-fit kits. The application of these supplements is as simple as it is effective. In combination with the 1.0kN Flex-fit Kit, they offer a flexible and adaptable solution that easily adapts to different design requirements. Not to mention the environmentally friendly and cost-effective benefits these systems offer.

Make a statement with our latest additions and bathe your all-glass balustrades in a new, exciting light. Transform your space into a unique experience and redefine lighting - all with the 1.0kN Flex-fit Kit and the innovative additions 90.7035.102.00 and 90.7035.105.00.

## Translevel LED Kit



- | Works for all FLEXFIT 1.0kN.
- | Easy and quick to assemble and install.
- | FLEXFIT is not included!
- | LED strip not included!



Model 0100	2500 mm	5000 mm
	Art. no.	Art. no.
	90.7035.102.00	90.7035.105.00

## FLEXFIT 1.0 kN



- | Fine adjustment of glass panes
- | For glass thicknesses between 12 - 21.52 mm
- | Adjustment of up to 34 mm in relation to the vertical axis
- | Pay attention to the right glass thickness!

Length		2500 mm	5000 mm	25 mtr
Glass thickness	Wedge colour	Art. no.	Art. no.	Art. no.
12 mm	black	-	90.0505.112.00	-
6/6/2 (12.76 mm)	red	90.0502.113.00	90.0505.113.00	90.0525.113.00
6/6/4 (13.52 mm)	grey	-	90.0505.114.00	-
<b>8/8/2 (16.76 mm)</b>	red	90.0502.117.00	90.0505.117.00	90.0525.117.00
<b>8/8/4 (17.52 mm)</b>	green	90.0502.118.00	90.0505.118.00	90.0525.118.00
<b>10/10/2 (20.76 mm)</b>	red	90.0502.121.00	90.0505.121.00	90.0525.121.00
<b>10/10/4 (21.52 mm)</b>	green	90.0502.122.00	90.0505.122.00	90.0525.122.00



For optimal visual clarity, we advise to use low iron glass with this system.

Standard glass inherently contains subtle imperfections that can become more pronounced when the LED illuminates directly through the bottom of the glass.



**ONLEVEL**

**ONLEVEL Ltd.** | Unit 7, Alexandria Court | Alexandria Drive  
Ashton Commerce Park | Ashton-under-Lyne | Lancashire OL7 0QN | United Kingdom  
T +44 0161 804 9500 | F +44 0161 804 9505 | [info@onlevel-uk.com](mailto:info@onlevel-uk.com) | [www.onlevel.com](http://www.onlevel.com)