

ONLEVEL



EXCITE SWEAT88°
INLAY FOR THE SAUNA

EXCITE SWEAT 88°

Inlay for the sauna area

EXCITE SWEAT 88°	Art. no.
EXCITE glass rubber set for sauna use glass wall 90° for glass 8/10mm	23.9001.090.00
EXCITE glass rubber set for sauna use glass-wall 180° for glass 8/10mm	23.9001.180.00

The thickness of the EXCITE SWEAT 88° inserts depends on the glass thickness used:

8 mm glass: 2 mm Sweat 88° inserts

10 mm glass: 1 mm Sweat 88° inserts

Max. temperature at top fitting height 80°C.

(corresponds to a sauna temperature setting of 100°C)

EXCITE SWEAT 88° IS COMPATIBLE WITH THE FOLLOWING EXCITE SHOWER DOOR HINGES:

EXCITE Swinging Shower Door Hinge, glass-wall 90° with zero position adjustment



- | Glass thickness: 8/10 mm
- | Max. 45 kg*
- | Brass
- | Sales unit: 2 pieces

***With EXCITE Sweat 88°,
the load capacity is reduced to 35 kg.**

Model 1000	
Finish	Art. no.
Shiny chrome-plated	23.1000.090.65
Stealth Black	23.1000.090.66-SB
Gold brushed	23.1000.090.61-GB
Gun Metal brushed	23.1000.090.61-GM
Gold polished	23.1000.090.61-GP
Rosé Gold brushed	23.1000.090.61-RG
Stainless Steel brushed	23.1000.090.61-ST

EXCITE Swinging Shower Door Hinge, glass-glass 180° with zero position adjustment




- | Glass thickness: 8/10 mm
- | Max. 45 kg*
- | Brass
- | Sales unit: 2 pieces


***With EXCITE Sweat 88°,
the load capacity is reduced to 35 kg.**

Model 1010	
Finish	Art. no.
Shiny chrome-plated	23.1010.180.65
Stealth Black	23.1010.180.66-SB
Gold brushed	23.1010.180.61-GB
Gun Metal brushed	23.1010.180.61-GM
Gold polished	23.1010.180.61-GP
Rosé Gold brushed	23.1010.180.61-RG
Stainless Steel brushed	23.1010.180.61-ST


Care instructions: The sauna fittings may only be wiped with warm water and a soft cloth (e.g. microfiber) and dried if necessary. Harsh, aggressive, alkaline or chlorinated cleaners, abrasive cleaners (e.g. steel wool) or solvents must not be used.




7




8




9




10







8



9



10



11

